

LS Industrial Systems

BẢNG GIÁ Thiết Bị Điều Khiển

01/2012






LS Mecapion
LS Industrial Systems




LS Inverters (AC Adjustable Frequency Drives)


LS Industrial Systems


LS Inverters (AC Adjustable Frequency Drives)

DESCRIPTION						Price (USD)
iE5 Series - Single Phase 215, 220, 230V (V/F Control, ficel keypad)						
	SV001IE5-1	0.1kW	1/8	0.1kW(1/8HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~200Hz		84.60
	SV002IE5-1	0.2kW	1/4	0.2kW(1/4HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~200Hz		89.30
	SV004IE5-1	0.4kW	1/2	0.4kW(1/2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~200Hz		92.40
	SV001IE5-1C	0.1kW	1/8	0.1kW(1/8HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~200Hz, Built-in RS485(Modbus RTU)		92.40
	SV002IE5-1C	0.2kW	1/4	0.2kW(1/4HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~200Hz, Built-in RS485(Modbus RTU)		95.60
	SV004IE5-1C	0.4kW	1/2	0.4kW(1/2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~200Hz, Built-in RS485(Modbus RTU)		100.30
iE5 Series - Three Phase 220V						
	SV001IE5-2	0.1kW	1/8	0.1kW(1/8HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~200Hz		93.80
	SV002IE5-2	0.2kW	1/4	0.2kW(1/4HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~200Hz		95.50
	SV004IE5-2	0.4kW	1/2	0.4kW(1/2HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~200Hz		98.90
	SV001IE5-2C	0.1kW	1/8	0.1kW(1/8HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~200Hz, Built-in RS485(Modbus RTU)		92.10
	SV002IE5-2C	0.2kW	1/4	0.2kW(1/4HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~200Hz, Built-in RS485(Modbus RTU)		95.50
	SV004IE5-2C	0.4kW	1/2	0.4kW(1/2HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~200Hz, Built-in RS485(Modbus RTU)		98.90
iC5 Series - Single Phase 215, 220, 230V : V/f, sensorless vector control, fixed keypad						
	SV004IC5-1	0.4 kW	1/2	0.4kW(1/2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		122.20
	SV008IC5-1	0.75kW	1	0.75kW(1HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		130.00
	SV015IC5-1	1.5kW	2	1.5kW(2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		153.50
	SV022IC5-1	2.2kW	3	2.2kW(3HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		167.60
iC5 Series - Single Phase 215, 220, 230V (built-in class A filter)						
	SV004IC5-1F	0.4 kW	1/2	0.4kW(1/2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		134.70
	SV008IC5-1F	0.75kW	1	0.75kW(1HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		138.10
	SV015IC5-1F	1.5kW	2	1.5kW(2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		179.00
	SV022IC5-1F	2.2kW	3	2.2kW(3HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		192.70
iG5A Series - Single Phase 215, 220, 230V (fixed keypad)						
	SV004IG5A-1	0.4 kW	1/2	0.4kW(1/2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		172.30
	SV008IG5A-1	0.75kW	1	0.75kW(1HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		184.90
	SV015IG5A-1	1.5kW	2	1.5kW(2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz		208.40

iG5A Series - Single Phase 215, 220, 230V (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)

	SV004IG5A-1FB	0.4 kW	1/2	0.4kW(1/2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	159.80
	SV008IG5A-1FB	0.75kW	1	0.75kW(1HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	172.30
	SV015IG5A-1FB	1.5kW	2	1.5kW(2HP), 1 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	195.80


iG5A Series - 3 Phase 220V

	SV004IG5A-2	0.4 kW	1/2	0.4kW(1/2HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	156.70
	SV008IG5A-2	0.75kW	1	0.75kW(1HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	169.20
	SV015IG5A-2	1.5kW	2	1.5kW(2HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	195.80
	SV022IG5A-2	2.2kW	3	2.2kW(3HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	225.60
	SV037IG5A-2	3.7kW	5	3.7kW(5HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	255.40
	SV040IG5A-2	4.0kW	5.5	4.0kW(5.4HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	255.40
	SV055IG5A-2	5.5kW	7.5	5.5kW(7.5HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	382.20
	SV075IG5A-2	7.5kW	10	7.5kW(10HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	427.70
	SV110IG5A-2	11kW	15	11kW(15HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	784.80
	SV150IG5A-2	15kW	20	15kW(20HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	905.50
	SV185IG5A-2	18.5kW	25	18.5kW(25HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	1,043.30
	SV220IG5A-2	22kW	30	22kW(30HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	1,237.60

iG5A Series - 3 Phase 220V (For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)

	SV004IG5A-2FB	0.4 kW	1/2	0.4kW(1/2HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	144.10
	SV008IG5A-2FB	0.75kW	1	0.75kW(1HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	156.70
	SV015IG5A-2FB	1.5kW	2	1.5kW(2HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	183.30
	SV022IG5A-2FB	2.2kW	3	2.2kW(3HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	213.00
	SV037IG5A-2FB	3.7kW	5	3.7kW(5HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	242.80
	SV040IG5A-2FB	4.0kW	5.5	4.0kW(5.4HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	242.80
	SV055IG5A-2FB	5.5kW	7.5	5.5kW(7.5HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	369.70
	SV075IG5A-2FB	7.5kW	10	7.5kW(10HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	415.10
	SV110IG5A-2FB	11kW	15	11kW(15HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	770.80
	SV150IG5A-2FB	15kW	20	15kW(20HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	891.40
	SV185IG5A-2FB	18.5kW	25	18.5kW(25HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	1,029.20
	SV220IG5A-2FB	22kW	30	22kW(30HP), 3 phase, 200~230VAC, 50~60Hz, 0.1~400Hz	1,223.50

iG5A Series - 3 Phase 380, 415, 440, 460V (EUROPE) fixed keypad


	SV004IG5A-4EN	0.4 kW	1/2	0.4kW(1/2HP), 3phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	207.20
	SV008IG5A-4EN	0.75kW	1	0.75kW(1HP), 3phase, 380~480VAC, 50~60Hz, 0.1~400Hz	219.40
	SV015IG5A-4EN	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.1~400Hz	240.30
	SV022IG5A-4EN	2.2kW	3	2.2kW(3HP), 3phase, 380~480VAC, 50~60Hz, 0.1~400Hz	273.40
	SV040IG5A-4EN	4.0kW	5.5	4.0kW(5.4HP), 3phase, 380~480VAC, 50~60Hz, 0.1~400Hz	325.60

iG5A Series - 3 Phase 380, 415, 440, 460V (fixed keypad)


SV004IG5A-4	0.4 kW	1/2	0.4kW(1/2HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	167.80
SV008IG5A-4	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	177.60
SV015IG5A-4	1.5kW	2	1.5kW(2HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	194.60
SV022IG5A-4	2.2kW	3	2.2kW(3HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	221.40
SV037IG5A-4	3.7kW	5	3.7kW(5HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	263.60
SV040IG5A-4	4.0kW	5.5	4.0kW(5.4HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	263.60
SV055IG5A-4	5.5kW	7.5	5.5kW(7.5HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	370.80
SV075IG5A-4	7.5kW	10	7.5kW(10HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	404.60
SV110IG5A-4	11kW	15	11kW(15HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	703.50
SV150IG5A-4	15kW	20	15kW(20HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	765.60
SV185IG5A-4	18.5kW	25	18.5kW(25HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	908.40
SV220IG5A-4	22kW	30	22kW(30HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz,	986.70



iG5A Series - 3 Phase 380, 415, 440, 460V(For Field Bus: DeviceNet, Modbus TCP, Ethernet/IP)


SV004IG5A-4FB	0.4 kW	1/2	0.4kW(1/2HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz	156.50
SV008IG5A-4FB	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz	166.40
SV015IG5A-4FB	1.5kW	2	1.5kW(2HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz	183.30
SV022IG5A-4FB	2.2kW	3	2.2kW(3HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz	210.10
SV037IG5A-4FB	3.7kW	5	3.7kW(5HP), 3 phase, 380~480VAC, 50~60Hz, 0.1~400Hz	252.40
SV040IG5A-4FB	4.0kW	5.5	4.0kW(5.4HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	252.40
SV055IG5A-4FB	5.5kW	7.5	5.5kW(7.5HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	359.50
SV075IG5A-4FB	7.5kW	10	7.5kW(10HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	393.40
SV110IG5A-4FB	11kW	15	11kW(15HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	690.90
SV150IG5A-4FB	15kW	20	15kW(20HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	752.90
SV185IG5A-4FB	18.5kW	25	18.5kW(25HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	881.70
SV220IG5A-4FB	22kW	30	22kW(30HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	959.00

iG5A Series - 3 Phase 380, 415, 440, 460V (EUROPE) (For Field Bus: Profibus-DP, CANOpen)


SV004IG5A-4ENC	0.4 kW	1/2	0.4kW(1/2HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	193.30
SV008IG5A-4ENC	0.75kW	1	0.75kW(1HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	205.50
SV015IG5A-4ENC	1.5kW	2	1.5kW(2HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	226.40
SV022IG5A-4ENC	2.2kW	3	2.2kW(3HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	259.40
SV040IG5A-4ENC	4.0kW	5.5	4.0kW(5.5HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	311.70

iP5A Series - 3 Phase 380, 415, 440, 460V - Optional Loader(Keypad)
v/f, sensorless vector control, VT drive, RS485(LS Bus)

	SV008IP5A-4NE	0.75kW	1	0.75kW(1HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	391.60
	SV015IP5A-4NE	1.5kW	2	1.5kW(2HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	399.50
	SV022IP5A-4NE	2.2kW	3	2.2kW(3HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	404.20
	SV037IP5A-4NE	3.7kW	5	3.7kW(5HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	410.80
	SV055IP5A-4NE	5.5kW	7.5	5.5kW(7.5HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	410.80
	SV075IP5A-4NE	7.5kW	10	7.5kW(10HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	470.30
	SV110IP5A-4NE	11kW	15	11kW(15HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	510.50
	SV150IP5A-4NO	15kW	20	15kW(20HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	788.80
	SV150IP5A-4NOL	15kW	20	15kW(20HP),3phase,380~480VAC,50~60Hz,0.01~120Hz, built-inDCreactor	842.30
	SV185IP5A-4NO	18.5kW	25	18.5kW(25HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	873.60
	SV185IP5A-4NOL	18.5kW	25	18.5kW(25HP),3phase,380~480VAC,50~60Hz,0.01~120Hz, built-inDCreactor	961.40
	SV220IP5A-4NO	22kW	30	22kW(30HP),3phase,380~480VAC,50~60Hz,0.01~120Hz	1,080.50
	SV220IP5A-4NOL	22kW	30	22kW(30HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in DC reactor	1,181.70
	SV300IP5A-4NO	30kW	40	30kW(40HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz	1,223.30
	SV300IP5A-4NOL	30kW	40	30kW(40HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, DC reactor	1,329.00
	SV370IP5A-4O	37kW	50	37kW(50HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	1,830.50
	SV370IP5A-4OL	37kW	50	37kW(50HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	2,032.90
	SV450IP5A-4O	45kW	60	45kW(60HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	1,986.80
	SV450IP5A-4OL	45kW	60	45kW(60HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	2,262.10
	SV550IP5A-4O	55kW	75	55kW(75HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	2,349.90
	SV550IP5A-4OL	55kW	75	55kW(75HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	2,674.40
	SV750IP5A-4O	75kW	100	75kW(100HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	2,602.90
	SV750IP5A-4OL	75kW	100	75kW(100HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	2,988.40
	SV900IP5A-4O	90kW	125	90kW(125HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	3,086.60
	SV900IP5A-4OL	90kW	125	90kW(125HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	3,388.70
	SV1100IP5A-4OL	110kW	150	110kW(150HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	4,744.50
	SV1320IP5A-4OL	132kW	175	132kW(175HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	5,036.20
	SV1600IP5A-4OL	160kW	215	160kW(215HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	5,582.40
	SV2200IP5A-4OL	220kW	300	220kW(300HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	7,875.70
	SV2800IP5A-4OL	280kW	350	280kW(350HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad, DC reactor	9,652.70
	SV3150IP5A-4O	315kW	400	315kW(400HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	18,605.90
	SV3750IP5A-4O	375kW	500	375kW(500HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	22,592.90
	SV4500IP5A-4O	450kW	600	450kW(600HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~120Hz, built-in keypad	24,061.80

**IP5A Series - 3 Phase 215, 220, 230V - Optional Loader(Keypad)
v/f, sensorless vector control, VT drive, RS485(LS Bus)**

	SV008IP5A-2NE	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	391.60
	SV015IP5A-2NE	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	399.50
	SV022IP5A-2NE	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	404.20
	SV037IP5A-2NE	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	409.30
	SV055IP5A-2NE	3.7kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	409.30
	SV075IP5A-2NE	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	459.90
	SV110IP5A-2NE	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	507.50
	SV150IP5A-2NO	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	800.70
	SV185IP5A-2NO	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	897.40
	SV220IP5A-2NO	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	1,190.90
	SV300IP5A-2NO	30kW	40	30kW(40HP),3phase,200~230VAC,50~60Hz,0.01~120Hz	1,300.10



iS5 Series - 3 Phase 215, 220, 230V - Optional Loader(Keypad)


	SV008iS5-2NO	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	332.40
	SV015iS5-2NO	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	340.70
	SV022iS5-2NO	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	373.90
	SV037iS5-2NO	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	415.50
	SV055iS5-2NO	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	465.40
	SV075iS5-2NO	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	498.60
	SV110iS5-2NO	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	747.90
	SV150iS5-2NO	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	831.00
	SV185iS5-2NO	18.5kW	25	18.5kW(25HP)3phase,200~230VAC,50~60Hz,0.1~400hz	1,072.00
	SV220iS5-2NO	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.1~400Hz	1,130.10
	SV300iS5-2,220V	30kW	40	30kW(40HP),3phase,220VAC,50~60Hz,0.1~400Hz,built-inkeypad	1,983.70
	SV370iS5-2,220V	37kW	50	37kW(50HP),3phase,220VAC,50~60Hz,0.1~400Hz,built- inkeypad	2,077.50
	SV450iS5-2,220V	45kW	60	45kW(60HP),3phase,220VAC,50~60Hz,0.1~400Hz, built - inkeypad	3,606.70
	SV550iS5-2,220V	55kW	75	55kW(75HP),3phase,220VAC,50~60Hz,0.1~400Hz,built-inkeypad	3,983.20

iS5 Series - 3 Phase 380, 415, 440, 460V - Optional Loader(Keypad)







	SV008iS5-4NO	0.75kW	1	0.75kW(1HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	332.40
	SV015iS5-4NO	1.5kW	2	1.5kW(2HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	340.70
	SV022iS5-4NO	2.2kW	3	2.2kW(3HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	373.90
	SV037iS5-4NO	3.7kW	5	3.7kW(5HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	415.50
	SV055iS5-4NO	5.5kW	7.5	5.5kW(7.5HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	465.40
	SV075iS5-4NO	7.5kW	10	7.5kW(10HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	498.60
	SV110iS5-4NO	11kW	15	11kW(15HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	747.90
	SV150iS5-4NO	15kW	20	15kW(20HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	831.00
	SV185iS5-4NO	18.5kW	25	18.5kW(25HP)3phase,380~480VAC,50~60Hz,0.1~400Hz	1,072.00
	SV220iS5-4NO	22kW	30	22kW(30HP),3phase,380~480VAC,50~60Hz,0.1~400Hz	1,130.10
	SV300iS5-4,380V	30kW	40	30kW(40HP),3phase,380VAC,50~60Hz,0.1~400Hz,built-inkeypad	1,578.90
	SV370iS5-4,380V	37kW	50	37kW(50HP),3phase,380VAC,50~60Hz,0.1~400Hz,built-inkeypad	2,077.50
	SV450iS5-4,380V	45kW	60	45kW(60HP),3phase,380VAC,50~60Hz,0.1~400Hz,built-inkeypad	2,326.80
	SV550iS5-4,380V	55kW	75	55kW(75HP),3phase,380VAC,50~60Hz,0.1~400Hz,built-inkeypad	2,850.30
	SV750iS5-4,380V	75kW	100	75kW(100HP),3phase,380VAC,50~60Hz,0.1~400Hz,built-inkeypad	3,739.40





iS7 Series - 3 Phase 215, 220, 230V - Optional Loader(Keypad) built-in Dynamic braking transistor


	SV0008IS7-2NO	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	378.00
	SV0008IS7-2NOW	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	378.00
	SV0008IS7-2SP	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	660.80
	SV0008IS7-2SPF	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad,EMCfilter (IP54,ULType12)	684.60
	SV0008IS7-2NOD	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, DCreactor	403.30
	SV0008IS7-2NOF	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter	416.70
	SV0008IS7-2NOFD	0.75kW	1	0.75kW(1HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter,DCreactor"	462.80
	SV0015IS7-2NO	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor	394.40
	SV0015IS7-2NOW	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor (SpecialS/WforWEBApplication: Winder/Unwinder)	394.40
	SV0015IS7-2SP	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	689.10
	SV0015IS7-2SPF	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad, EMCfilter(IP54,ULType12)	711.70
	SV0015IS7-2NOD	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,DCreactor	424.10
	SV0015IS7-2NOF	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter	445.00
	SV0015IS7-2NOFD	1.5kW	2	1.5kW(2HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter,DCreactor	494.10
	SV0022IS7-2NO	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	416.70
	SV0022IS7-2NOW	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	416.70
	SV0022IS7-2SP	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	729.20
	SV0022IS7-2SPF	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad,EMCfilter (IP54,ULType12)	753.00
	SV0022IS7-2NOD	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,DCreactor	443.50
	SV0022IS7-2NOF	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter	470.30
	SV0022IS7-2NOFD	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter,DCreactor	522.40
	SV0037IS7-2NO	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	431.60
	SV0037IS7-2NOW	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	431.60
	SV0037IS7-2SP	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	754.50
	SV0037IS7-2SPF	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad,EMCfilter (IP54,ULType12)	778.30
	SV0037IS7-2NOD	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,DCreactor	458.40
	SV0037IS7-2NOF	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter	486.70
	SV0037IS7-2NOFD	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter,DCreactor	538.70
	SV0055IS7-2NO	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	483.70
	SV0055IS7-2NOW	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	483.70
	SV0055IS7-2SP	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	821.50
	SV0055IS7-2SPF	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad,EMCfilter (IP54,ULType12)	875.10
	SV0055IS7-2NOD	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,DCreactor	535.80
	SV0055IS7-2NOF	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter	567.00
	SV0055IS7-2NOFD	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter,DCreactor	616.10
	SV0075IS7-2NO	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor	534.30
	SV0075IS7-2NOW	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	534.30

	SV0075IS7-2SP	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	907.80
	SV0075IS7-2SPF	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad,EMCfilter (IP54,ULType12)	961.40
	SV0075IS7-2NOD	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,DCCreacor	584.90
	SV0075IS7-2NOF	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter	631.00
	SV0075IS7-2NOFD	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,EMCfilter,DCCreacor	686.10
	SV0110IS7-2NO	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	843.80
	SV0110IS7-2NOW	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	843.80
	SV0110IS7-2SP	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , Keypad(IP54,ULType12)	1,391.50
	SV0110IS7-2SPF	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , Keypad,EMCfilter(IP54,ULType12)	1,522.50
	SV0110IS7-2NOD	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , DCCreacor	910.80
	SV0110IS7-2NOF	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter	988.20
	SV0110IS7-2NOFD	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter,DCCreacor	1,074.50
	SV0150IS7-2NO	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	945.00
	SV0150IS7-2NOW	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	945.00
	SV0150IS7-2SP	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, Keypad(IP54,ULType12)	1,512.00
	SV0150IS7-2SPF	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, Keypad,EMCfilter(IP54,ULType12)	1,643.00
	SV0150IS7-2NOD	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , DCCreacor	1,047.70
	SV0150IS7-2NOF	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , EMCfilter	1,138.50
	SV0150IS7-2NOFD	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , built-inDynamicbrakingtransistor,EMCfilter,DCCreacor	1,236.70
	SV0185IS7-2NO	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor	1,272.40
	SV0185IS7-2NOW	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , built-inDynamicbrakingtransistor (SpecialS/WforWEBApplication:Winder/Unwinder)	1,272.40
	SV0185IS7-2SP	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inDynamicbrakingtransistor,Keypad(IP54,ULType12)	1,907.90
	SV0185IS7-2SPF	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, Keypad,EMCfilter(IP54,ULType12)	2,110.30
	SV0185IS7-2NOD	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, DCCreacor	1,348.30
	SV0185IS7-2NOF	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , EMCfilter	1,458.50
	SV0185IS7-2NOFD	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter,DCCreacor	1,586.50
	SV0220IS7-2NO	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz	1,442.10
	SV0220IS7-2NOW	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	1,442.10
	SV0220IS7-2SP	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, Keypad(IP54,ULType12)	2,162.40
	SV0220IS7-2SPF	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, Keypad,EMCfilter(IP54,ULType12)	2,364.80
	SV0220IS7-2NOD	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, DCCreacor	1,589.40
	SV0220IS7-2NOF	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter	1,665.30
	SV0220IS7-2NOFD	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, EMCfilter,DCCreacor	1,870.70
	SV0300IS7-2SO	30kW	40	30kW(40HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inkeypad	2,149.00
	SV0370IS7-2SO	37kW	50	37kW(50HP),3phase,200~230VAC,50~60Hz,0.01~400Hz, built-inkeypad	2,507.70
	SV0450IS7-2SO	45kW	60	45kW(60HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , built-inkeypad	2,830.60
	SV0550IS7-2SO	55kW	75	55kW(75HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , built-inkeypad	3,751.80
	SV0750IS7-2SO	75kW	100	75kW(100HP),3phase,200~230VAC,50~60Hz,0.01~400Hz , built-inkeypad	4,165.60


IS7 Series - 3 Phase 380, 415, 440, 460V - Optional Loader(Keypad), built-in Dynamic braking transistor

	SV0008IS7-4NO	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz	365.20
	SV0008IS7-4NOW	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz (Special S/W for WEB application: Winder/Unwinder)	365.20
	SV0008IS7-4SP	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad (IP54, UL Type 12)	638.70
	SV0008IS7-4SPF	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	661.20
	SV0008IS7-4NOD	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	392.00
	SV0008IS7-4NOF	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	407.50
	SV0008IS7-4NOFD	0.75kW	1	0.75kW(1HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	452.60
	SV0015IS7-4NO	1.5kW	2	1.5kW(2HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz	382.10
	SV0015IS7-4NOW	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (Special S/W for WEB Application: Winder/Unwinder)	382.10
	SV0015IS7-4SP	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad (IP54, UL Type 12)	668.30
	SV0015IS7-4SPF	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	690.90
	SV0015IS7-4NOD	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	411.70
	SV0015IS7-4NOF	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	428.60
	SV0015IS7-4NOFD	1.5kW	2	1.5kW(2HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	475.10
	SV0022IS7-4NO	2.2kW	3	2.2kW(3HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	400.40
	SV0022IS7-4NOW	2.2kW	3	2.2kW(3HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (Special S/W for WEB Application: Winder/Unwinder)	400.40
	SV0022IS7-4SP	2.2kW	3	2.2kW(3HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad (IP54, UL Type 12)	679.60
	SV0022IS7-4SPF	2.2kW	3	2.2kW(3HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	713.40
	SV0022IS7-4NOD	2.2kW	3	2.2kW(3HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	431.40
	SV0022IS7-4NOF	2.2kW	3	2.2kW(3HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	446.90
	SV0022IS7-4NOFD	2.2kW	3	2.2kW(3HP), 3 phase, 380~480, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	496.30
	SV0037IS7-4NO	3.7kW	5	3.7kW(5HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz	410.30
	SV0037IS7-4NOW	3.7kW	5	3.7kW(5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (Special S/W for WEB Application: Winder/Unwinder)	410.30
	SV0037IS7-4SP	3.7kW	5	3.7kW(5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad (IP54, UL Type 12)	696.50
	SV0037IS7-4SPF	3.7kW	5	3.7kW(5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	730.30
	SV0037IS7-4NOD	3.7kW	5	3.7kW(5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	442.70
	SV0037IS7-4NOF	3.7kW	5	3.7kW(5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	462.40
	SV0037IS7-4NOFD	3.7kW	5	3.7kW(5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	511.80
	SV0055IS7-4NO	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	469.50
	SV0055IS7-4NOW	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (Special S/W for WEB Application: Winder/Unwinder)	469.50
	SV0055IS7-4SP	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad (IP54, UL Type 12)	798.00
	SV0055IS7-4SPF	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	848.80
	SV0055IS7-4NOD	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	513.20
	SV0055IS7-4NOF	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	537.20
	SV0055IS7-4NOFD	5.5kW	7.5	5.5kW(7.5HP), 3phase, 380~480, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	590.80
	SV0075IS7-4NO	7.5kW	10	7.5kW(10HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	509.00
	SV0075IS7-4NOW	7.5kW	10	7.5kW(10HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (Special S/W for WEB application: Winder/Unwinder)	509.00

	SV0075IS7-4SP	7.5kW	10	7.5kW(10HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad (IP54, UL Type 12)	838.90
	SV0075IS7-4SPF	7.5kW	10	7.5kW(10HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	889.60
	SV0075IS7-4NOD	7.5kW	10	7.5kW(10HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DCreactor	554.10
	SV0075IS7-4NOF	7.5kW	10	7.5kW(10HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMCfilter	582.30
	SV0075IS7-4NOFD	7.5kW	10	7.5kW(10HP), 3phase, 380~480, 50~60Hz, 0.01~400Hz, EMCfilter, DCreactor	640.10
	SV0110IS7-4NO	11kW	15	11kW(15HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	786.70
	SV0110IS7-4NOW	11kW	15	11kW(15HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	786.70
	SV0110IS7-4SP	11kW	15	11kW(15HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad(IP54, ULType12)	1,257.60
	SV0110IS7-4SPF	11kW	15	11kW(15HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMC filter (IP54, UL Type 12)	1,381.70
	SV0110IS7-4NOD	11kW	15	11kW(15HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	840.30
	SV0110IS7-4NOF	11kW	15	11kW(15HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	919.30
	SV0110IS7-4NOFD	11kW	15	11kW(15HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMCfilter, DCreactor	988.30
	SV0150IS7-4NO	15kW	20	15kW(20HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	871.30
	SV0150IS7-4NOW	15kW	20	15kW(20HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	871.30
	SV0150IS7-4SP	15kW	20	15kW(20HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad(IP54, ULType12)	1,349.30
	SV0150IS7-4SPF	15kW	20	15kW(20HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad,	1,473.40
	SV0150IS7-4NOD	15kW	20	EMC filter (IP54, UL Type 12) 15kW(20HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DC reactor	958.70
	SV0150IS7-4NOF	15kW	20	15kW(20HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	1,026.40
	SV0150IS7-4NOFD	15kW	20	15kW(20HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	1,127.90
	SV0185IS7-4NO	18.5kW	25	18.5kW(25HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	1,077.20
	SV0185IS7-4NOW	18.5kW	25	18.5kW(25HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	1,077.20
	SV0185IS7-4SP	18.5kW	25	18.5kW(25HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad(IP54, ULType12)	1,615.80
	SV0185IS7-4SPF	18.5kW	25	18.5kW(25HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMCfilter(IP54, ULType12)	1,784.90
	SV0185IS7-4NOD	18.5kW	25	18.5kW(25HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DCreactor	1,178.70
	SV0185IS7-4NOF	18.5kW	25	18.5kW(25HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter	1,270.30
	SV0185IS7-4NOFD	18.5kW	25	18.5kW(25HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMC filter, DC reactor	1,397.20
	SV0220IS7-4NO	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	1,221.00
	SV0220IS7-4NOW	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	1,221.00
	SV0220IS7-4SP	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad(IP54, ULType12)	1,831.50
	SV0220IS7-4SPF	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, Keypad, EMCfilter(IP54, ULType12)	2,000.70
	SV0220IS7-4NOD	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, DCreactor	1,325.30
	SV0220IS7-4NOF	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMCfilter	1,433.90
	SV0220IS7-4NOFD	22kW	30	22kW(30HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, EMCfilter, DCreactor	1,576.30
	SV0300IS7-4NO	30kW	40	30kW(40HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	1,824.40
	SV0300IS7-4SOW	30kW	40	30kW(40HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	1,824.40
SV0300IS7-4NOD	30kW	40	30kW(40HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz, built-inDCreactor	2,027.40	
SV0370IS7-4NO	37kW	50	37kW(50HP), 3phase, 380~480VAC, 50~60Hz, 0.01~400Hz	1,980.90	

	SV0370IS7-4SOW	37kW	50	37kW(50HP),3phase,380~480VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	1,980.90
	SV0370IS7-4NOD	37kW	50	37kW(50HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor	2,255.80
	SV0450IS7-4NO	45kW	60	45kW(60HP),3phase,380~480VAC,50~60Hz,0.01~400Hz	2,343.30
	SV0450IS7-4SOW	45kW	60	45kW(60HP),3phase,380~480VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	2,343.30
	SV0450IS7-4NOD	45kW	60	45kW(60HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor	2,666.10
	SV0550IS7-4NO	55kW	75	55kW(75HP)3phase,380~480VAC,50~60Hz,0.01~400Hz	2,595.60
	SV0550IS7-4SOW	55kW	75	55kW(75HP),3phase,380~480VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	2,595.60
	SV0550IS7-4NOD	55kW	75	55kW(75HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor	2,980.50
	SV0750IS7-4NO	75kW	100	75kW(100HP),3phase,380~480VAC,50~60Hz,0.01~400Hz	3,079.20
	SV0750IS7-4SOW	75kW	100	75kW(100HP),3phase,380~480VAC,50~60Hz,0.01~400Hz (SpecialS/WforWEBApplication:Winder/Unwinder)	3,079.20
	SV0750IS7-4NOD	75kW	100	75kW(100HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor	3,379.60
	SV0900IS7-4SOD	90kW	125	90kW(125HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor,Keypad	5,170.10
	SV0900IS7-4SODW	90kW	125	90kW(125HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor,Keypad (SpecialS/WforWEBApplication:Winder/Unwinder)+E320	5,170.10
	SV1100IS7-4SOD	132kW	150	110kW(150HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, built-inDCreactor,Keypad	5,487.40
	SV1100IS7-4SODW	132kW	150	110kW(150HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, built-in DC reactor, Keypad (Special S/W for WEB application: Winder/Unwinder)	5,487.40
	SV1320IS7-4SOD	132kW	175	132kW(175HP),3 phase,380~480VAC, 50~60Hz,0.01~400Hz, built-in DC reactor, Keypad	6,080.90
SV1320IS7-4SODW	132kW	175	132kW(175HP), 3 phase, 380~480VAC, 50~60Hz, 0.01~400Hz, built-in DC reactor, Keypad (Special S/W for WEB application: Winder/Unwinder)	6,080.90	
SV1600IS7-4SOD	160kW	215	160kW(215HP),3phase,380~480VAC,50~60Hz,0.01~400Hz , built-inDCreactor,Keypad	7,834.90	
SV1600IS7-4SODW	160kW	215	160kW(215HP),3phase,380~480VAC,50~60Hz,0.01~400Hz, (SpecialS/WforWEBApplication:inder/Unwinder)	7,834.90	


**iV5 Series - 3 Phase 215, 220, 230V - Optional Loader(Keypad):(flux vector drive, built-in keypad)
built-in Dynamic braking transistor, Encoder (PG) Feedback for 5/12/15V**

	SV022IV5-2DB(MD)	2.2kW	3	2.2kW(3HP),3phase,200~230VAC,50~60Hz,0~3600rpm,	568.20
	SV037IV5-2DB(MD)	3.7kW	5	3.7kW(5HP),3phase,200~230VAC,50~60Hz,0~3600rpm	611.00
	SV055IV5-2DB(MD)	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0~3600rpm	739.30
	SV075IV5-2DB(MD)	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0~3600rpm	824.20
	SV110IV5-2DB(MD)	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0~3600rpm	1,137.00
	SV150IV5-2DB(MD)	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0~3600rpm	1,249.40
	SV185IV5-2DB(MD)	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0~3600rpm	1,362.10
	SV220IV5-2DB(MD)	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0~3600rpm	1,485.90


**IV5 Series - 3 Phase 215, 220, 230V - Optional Loader(Keypad) (: flux vector drive, built-in keypad)
built-in Dynamic braking transistor, Encoder (PG) Feedback for 5/12/15V**

	SV055IV5-2DB	5.5kW	7.5	5.5kW(7.5HP),3phase,200~230VAC,50~60Hz,0~3600rpm,	812.60
	SV075IV5-2DB	7.5kW	10	7.5kW(10HP),3phase,200~230VAC,50~60Hz,0~3600rpm,	905.70
	SV110IV5-2DB	11kW	15	11kW(15HP),3phase,200~230VAC,50~60Hz,0~3600rpm,	1,249.40
	SV150IV5-2DB	15kW	20	15kW(20HP),3phase,200~230VAC,50~60Hz,0~3600rpm,	1,373.10
	SV185IV5-2DB	18.5kW	25	18.5kW(25HP),3phase,200~230VAC,50~60Hz,0~3600rpm	1,496.80
	SV220IV5-2DB	22kW	30	22kW(30HP),3phase,200~230VAC,50~60Hz,0~3600rpm,	1,632.80
	SV300IV5-2	30kW	40	30kW(40HP),3phase,200~230VAC,50~60Hz,0~3600rpm	2,398.00
	SV370IV5-2	37kW	50	37kW(50HP),3phase,200~230VAC,50~60Hz,0~3600rpm	2,598.10


**IV5 Series - 3 Phase 380, 415, 440, 460V - Optional Loader(Keypad)
built-in Dynamic braking transistor, Encoder (PG) Feedback for 5/12/15V**

	SV055IV5-4DB	5.5kW	7.5	5.5kW(7.5HP), 3 phase, 380~480VACAC, 50~60Hz, 0~3600rpm	823.30
	SV075IV5-4DB	7.5kW	10	7.5kW(10HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	890.50
	SV110IV5-4DB	11kW	15	11kW(15HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	1,260.10
	SV150IV5-4DB	15kW	20	15V(20HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	1,354.80
	SV185IV5-4DB	18.5kW	25	18.5kW(25HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	1,435.80
	SV220IV5-4DB	22kW	30	22kW(30HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	1,608.40
	SV300IV5-4(380V)	30kW	40	30kW(40HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	2,390.40
	SV370IV5-4(380V)	37kW	50	37kW(50HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	2,584.40
	SV450IV5-4(380V)	45kW	60	45kW(60HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	3,038.00
	SV550IV5-4(380V)	55kW	75	55kW(75HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	3,345.00
	SV750IV5-4(380V)	75kW	100	75kW(100HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	3,992.60
	SV900IV5-4(380V)	90kW	125	90kW(125HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	5,316.90
	SV1100IV5-4(380V)	110kW	150	110kW(150HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	5,685.00
	SV1320IV5-4(380V)	132kW	175	132kW(175HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	6,616.70
	SV1600IV5-4(380V)	160kW	215	160kW(215HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	7,343.70
	SV2200IV5-4(380V)	220kW	300	220kW(300HP), 3 phase, 380VAC, 50~60Hz, 0~3600rpm	11,643.40
	SV2800IV5-4(5/12/15V ENC)	280kW	350	280kW(350HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm,	20,619.90
SV3150IV5-4(5/12/15V ENC)	315kW	400	315kW(400HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	25,202.10	
SV3750IV5-4(5/12/15V ENC)	375kW	500	375kW(500HP), 3 phase, 380~480VAC, 50~60Hz, 0~3600rpm	27,187.70	
SV5000IV5-4	500kW	666	500kW(666HP), 3 phase, 540~480VDC, 50~60Hz, 0~3600rpm	42,767.20	


**IV5 Series - 3 Phase 380, 415, 440, 460V - Optional Loader(Keypad) : flux vector drive, built-in keypad)
built-in Dynamic braking transistor, Encoder (PG) Feedback for 5/12/15V**

	SV022IV5-4DB(MD)	2.2kW	3	2.2kW(3HP),3phase,380~480VAC,50~60Hz,0~3600rpm	571.30
	SV037IV5-4DB(MD)	3.7kW	5	3.7kW(5HP),3phase,380~480VAC,50~60Hz,0~3600rpm	617.10
	SV055IV5-4DB(MD)	5.5kW	7.5	5.5kW(7.5HP)3phase,380~480VAC,50~60Hz,0~3600rpm	749.00
	SV075IV5-4DB(MD)	7.5kW	10	7.5kW(10HP),3phase,380~480VAC,50~60Hz,0~3600rpm	810.10
	SV110IV5-4DB(MD)	11kW	15	11kW(15HP),3phase,380~480VAC,50~60Hz,0~3600rpm	1,146.80
	SV150IV5-4DB(MD)	15kW	20	15V(20HP),3phase,380~480VAC,50~60Hz,0~3600rpm	1,232.90
	SV185IV5-4DB(MD)	18.5kW	25	18.5kW(25HP),3phase,380~480VAC,50~60Hz,0~3600rpm	1,374.70
	SV220IV5-4DB(MD)	22kW	30	22kW(30HP),3phase,380~480VAC,50~60Hz,0~3600rpm	1,463.60


Key Pad

	SV-IS5 LCD KEYPAD	Character LCD display keypad for iS5 (32 characters)	29.80
	SV-IP5A LCD KEYPAD	LCD display keypad for iP5A	29.80
	SV-IS7 LCD KEYPAD	"Graphic LCD display keypad for iS7 (128x64 COG, 11 Rubber Key, 3 LED, IP21)- Multi Languages (English, Italian, Spanish, Russian, Turkish)"	52.10
	SV-IS5 SUB BOARD A	Extension I/O module, 3 multi-fuctional inputs and 3 outputs	34.20
	SV-IS5 SUB BOARD B	Encoder (PG) Feedback (Line Drive / O.C., Max. Input frequency 100kHz)	56.60
	SV-IS5 SUB BOARD C	Extension I/O module, 3 inputs, 1 output and 2 analog meter outputs	75.90
	SV-IS5/IP5A SUB BOARD E	Current output card [Only available in case that the dedicated O/S is installed]	61.00
	MMC BOARD (SV-IS5)	Multi-motor control board	35.70
	DRIVE COPY UNIT (SV-IS7), UX-S7M1	Parameter copy unit for IE5/iS7 up to 5 groups (USB to RS485 Converter to use DriveView)	160.70
	DOWNLOAD KIT,SV-IS7	SV-iS7 O/S Download Kit	744.10
	DOWNLOAD KIT,SV-IC5/iG5A/iP5A	SV-IC5/iG5A/iP5A(Old/New) O/S Download Kit	744.10
	ELIO(REV2), SV-IV5	Optional I/O Interface Card for Elevator Application	77.40
	ENC_DIV(OC), SV-IV5	Encoder division card(open collector)	71.40
	SYNC_IO,SV-IV5	Speed / positioning card for Synchronization operation	178.60
	Option PROFIBUS Card,iS5/iP5A/iV5	ProfiBus DP communication card	160.70
	Option DEVICENET Card,iS5/iP5A/iV5	DeviceNet communication card	95.20
	Option CC-LINK Card,iP5A/iV5	CC-LINK communication board (CC-LINK Ver. 1.1) - only for IP5A (New controller)	267.90
	Option RS485/Modbus-RTU Card,iP5A	RS485 & Modbus-RTU communication card	95.20
	SIN/COS(Encoder),SV-IV5	Sin/Cos encoder signal input card	145.80


Starvert iG5A options


	REMOTE 1M (SV-IG5A)	1 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	25.30
	REMOTE 2M (SV-IG5A)	2 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	28.30
	REMOTE 3M (SV-IG5A)	3 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	31.30
	REMOTE 5M (SV-IG5A)	5 meter connection cable between inverter and keypad plus a external keypad (Available for panel installation)	35.70

REMOTE CABLE

	IS5 REMOTE CABLE(2M)	2 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	13.40
	IS5 REMOTE CABLE(3M)	3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	14.90
	IS5 REMOTE CABLE(5M)	5 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	17.90
	IS7 REMOTE CABLE(2M)	2 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	13.40
	IS7 REMOTE CABLE(3M)	3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	14.90
	IP5A REMOTE CABLE(2M)	2 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	13.40
	IP5A REMOTE CABLE(3M)	3 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	14.90
	IP5A REMOTE CABLE(5M)	5 meter connection cable between inverter and keypad, plus + Frame for keypad installation on panel door	17.90

Dynamic Braking Unit : 150% torque for 100 seconds

	SV150DBU-2	Brake unit for 11 to 15kW, 200V / 150% Average Braking Torque / 10%ED	178.70
	SV220DBU-2	Brake unit for 18.5 to 22kW, 200V / 150% Average Braking Torque / 10%ED	206.20
	SV037DBH-2	Brake unit for 30 to 37kW, 200V / 150% Average Braking Torque / 5%ED	233.70
	SV150DBU-4	Brake unit for 11 to 15kW, 400V / 150% Average Braking Torque / 10%ED	178.70
	SV220DBU-4	Brake unit for 18.5 to 22kW, 400V / 150% Average Braking Torque / 10%ED	206.20
	SV037DBH-4	Brake unit for 30 to 37kW, 400V / 150% Average Braking Torque / 5%ED	233.70
	SV075DBH-4	Brake unit for 45 to 75kW, 400V / 150% Average Braking Torque / 5%ED	302.40
	SV150DBU-2U	Brake unit for 11 to 15kW, 200V / 100% Average Braking Torque / 10%ED	343.70
	SV220DBU-2U	Brake unit for 18.5 to 22kW, 200V / 100% Average Braking Torque / 10%ED	384.90
	SV370DBU-2U	Brake unit for 30 to 37kW, 200V / 100% Average Braking Torque / 10%ED	426.10
	SV550DBU-2U	Brake unit for 45 to 55kW, 200V / 100% Average Braking Torque / 10%ED	467.40
	SV150DBU-4U	Brake unit for 11 to 15kW, 400V / 100% Average Braking Torque / 10%ED	343.70
	SV220DBU-4U	Brake unit for 18.5 to 22kW, 400V / 100% Average Braking Torque / 10%ED	384.90
	SV370DBU-4U	Brake unit for 30 to 37kW, 400V / 100% Average Braking Torque / 10%ED	426.10
	SV550DBU-4U	Brake unit for 45 to 55kW, 400V / 100% Average Braking Torque / 10%ED	467.40
	SV750DBU-4U	Brake unit for 75kW, 400V / 100% Average Braking Torque / 10%ED	508.60
SV750DB-4	Brake unit for 45 to 75kW, 400V / 150% Average Braking Torque / 100%ED	733.20	
SV2200DB-4	Brake unit for 160 to 220kW,400V / 150% Average Braking Torque/100%ED	1,069.20	

External Brake resistor : Based on 5% ED(Enable duty)


MCRA120W100 OHM	120 watt, 100 ohm resistor	13.30
MCRA120W50 OHM	120 watt, 50 ohm resistor	13.30
MCRA120W40 OHM	120 watt, 40 ohm resistor	13.30
MCRA200W100 OHM	200 watt, 100 ohm resistor	14.70
MCRA200W160 OHM	200 watt, 160 ohm resistor	20.00
MCRA200W200 OHM	200 watt, 200 ohm resistor	20.00
MCRB300W100 OHM	300 watt, 100 ohm resistor	30.60
MCRB400W200 OHM	400 watt, 200 ohm resistor	43.90
MCRB400W160 OHM	400 watt, 160 ohm resistor	43.90
MCRB400W100 OHM	400 watt, 100 ohm resistor	43.90
MCRB400W50 OHM	400 watt, 50 ohm resistor	43.90
MCRB400W40 OHM	400 watt, 40 ohm resistor	43.90
MCRB 600W 130& J,Y.H	600 watt, 130 ohm resistor	91.90
MCRB 600W 33& J,Y.H	600 watt, 33 ohm resistor	91.90
MCRM 800W 20& J,Y.H	800 watt, 20 ohm resistor	101.20
MCRM 1000W 85& J,Y.H	1 kW, 85 ohm resistor	114.50
MCRM 1200W 60& J,Y.H	1.2 kW, 60 ohm resistor	122.50
MCRM 1200W 15& J,Y.H	1.2 kW, 15 ohm resistor	122.50
MCRM 2000W 40& J,Y.H	2 kW, 40 ohm resistor	154.50
MCRM 2400W 30& J,Y.H	2.4 kW, 30 ohm resistor	162.40
MCRM 2400W 10& J,Y.H	2.4 kW, 10 ohm resistor	162.40
MCRM 2400W 8& J,Y.H	2.4 kW, 8 ohm resistor	162.40
MCRM 3600W 20& J,Y.H	3.6 kW, 20 ohm resistor	293.00
MCRM 3600W 5& J,Y.H	3.6 kW, 5 ohm resistor	293.00

Inverter's accessory


VR1K	Biến Trở 1KΩ	7.00
VR2K	Biến Trở 2KΩ	7.00
VR5K	Biến Trở 5KΩ	7.00
VR10K	Biến Trở 10KΩ	7.00